



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

14. "Herbarium Suggestions."—Our friend, Dr. Gray, has kindly sent me some criticisms and suggestions with regard to the article that appeared in the last number of the Bulletin, under the above heading.

Dr. Gray says: "I intended that my Genus covers should be sixteen and a half inches long; the paper for species sixteen and three-eighths. I find that as much difference in length as will work well when the sheets are rather numerous in the same cover, and when they are shoved—as is usually done—quite back into their compartments. Your space of one-half inch will all be found in front, i. e., at the bottom margin. This does not look well, and the projecting margins are liable to become curled or dog-eared."

[I have not myself experienced any difficulty of this kind. F. J. B.]

Dr. Gray adds: "Again I find it best to have the Genus covers first folded in quarter quires or so, and then trimmed to twelve inches on the front edge. This makes the inner sheets a little narrower and with a sharper fold on the back,—advantages for small or monotypic genera, for which I reserve them; while the outer sheets, by their slightly greater width and the rounded fold at the back, are adapted for larger genera or sections." F. J. B.

15. Characeæ.—For some years I have been much interested in the study of our Characeæ, and especially since I have obtained the beautiful specimens issued by Braun, Rabenhorst, & Sitzenberger, by means of which I have been enabled to identify some species. I have received a few from Mr. C. C. Frost of Brattleboro, Vt., accurately named; and Mr. Le Roy has given me some specimens he has picked up. These, with my own collections, make but a beginning; and I should be glad to receive these interesting plants from all parts of the country, especially if collected when in fruit, or male and female plants when, as often, they are dioecious. In Europe as many as *fifty* different species, including a great number of varieties, are known, nearly one third of which belong to the genus *Nitella*. I have received great help from Prof. A. Braun of Berlin, who has named many species for me, and determined one new and beautiful variety—

1. *Nitella acuminata*, A. Br., var. *subglomerata*.—I have gathered at Morristown, N. J. Prof. Braun says it is not rare in the warmer parts of the United States, but is not found at all in Europe.
2. *Nitella polyglochin*, A. Br., var. *microcarpa*.—I have probably from New Jersey; this is not found in Europe.
3. *Nitella tennissima*, Desv.—was collected by Mr. Le Roy at Peekskill on the Hudson.
4. *Nitella syncarpa*, Thuill.—I have received from Mr. Frost of Brattleboro, Vt.
5. *Nitella capitata*, Nees ab E.—is quite common in the small streams on Long Island, appearing in the spring (as in Europe).
6. *Nitella flexilis*, L.—I have received from Mr. Frost. The variety *subcapitata* I find very abundant in Litchfield Lake, Ct.